



# UNIVERSITY OF THE IMMACULATE CONCEPTION

## SCIENCE RESOURCE CENTER

UIC - SRC  
FORM NO. 3

### TEST REPORT


CLIENT: VIRSANMARK MULTI-RESOURCE INDUSTRIES CONTROL NO.: 08-975A  
ADDRESS: CARMEN, DAVAO DEL NORTE DATE REPORTED: 09/27/2008  
SAMPLE: MISCELLANEOUS(01) DATE SAMPLE RECEIVED: 09/18/2008

### RESULTS OF ANALYSIS :

Lab. No.	M08-665
Description	VMS Fresh Egg Protector
<hr/>	<hr/>
<i>E. coli</i> , MPN/mL	<3.0
<i>Salmonella</i> Detection	Negative
	Nothing follows

- REMARKS:
1. Results relate only to sample as submitted and tested.
  2. Methods used are in accordance with the FDA Bacteriological Analytical Manual, 8th ed.  
MPN Most Probable Number
  3. This test report may not be reproduced unless in full.

ANALYZED BY :

  
FLORENCE B. ALZATE  
Junior Analyst I

CHECKED AND APPROVED BY :

  
LUDIVINA M. PORTICOS, MBA, MS  
PRC License No. 6237  
Director

msoffice\excel\misc\srr2008-975

Father Selga Street  
Davao City 8000  
Philippines

Fax Number : (6382) 226-2676  
Tel. Numbers : (6382) 221-8090 / 221-8181  
227-8144/ 227-4543 Local 133  
Email Address : ludyporticos@yahoo.com.